



# handling, transport & storage general instructions

KeyKeg safety warnings



Depressurize immediately after use.



Dispense pressure max. 4.1 bar (60 psi)



In case of CO<sub>2</sub> use: do not depressurize in a confined space. Danger of suffocation.

## warning

read carefully before use • keg under pressure handle with care • professional use only • do not reuse

• storage - keep below 40°C



Keep away from cleaning agents as alkaline, caustic hydroxides or soapy cleaning products with pH > 9.



Do not pierce or cut with sharp objects.



Do not roll.



Keep away from open fire.



Keep away from direct sunlight or other heat sources.



#### **Palletizing**







Empty Kegs	10L	20L	30 L	
Pallet size type	Block / ISO2 (1.0 × 1.2 m - 39,37" x 47 ¼ ")			
No. of layers	7	4	4	
Kegs per layer	20	20	12	
Kegs per pallet	140	80	48	
Height	2.43 m – 96"	2.42 m - 96"	2.42 m - 96"	
Orientation	Upside down			
Notes	Pallets are shrink wrapped with white foil and top is covered with a cardboard sheet.			

#### Filled kegs

The maximum stacking height for filled KeyKegs is based on their mechanical properties and does not take local health and safety regulations or the maximum pallet, truck or container load into account.







Filled Kegs	10L	20 L	30 L	
Max. no. of layers	5*	3*	3*	
Kegs per layer	20	20	12	
Kegs per pallet	100	60	36	
Height	1.94 m - 76.4"	2.00 m - 78.7"	2.00 m - 78.7"	
Orientation	Right-side up			
Max. stacking height in warehouse	10 layers	8 layers	8 layers	
Recommendations	Pallets must be shrink wrapped and top covered with cardboard sheet.			



### Transport of empty kegs

Number of Pallets	10 L	20 L	30L
45 ft. High Cube Pallet	26	26	26
40 ft. High Cube	22	22	22
40 ft. Reefer	20	20	20
20 ft. Standard (one layer less high)	10	10	10
20 ft. Reefer	9	9	9
Truck (13.6 mtr)	26	26	26
Truck with trailer (2 × 7m)	28	28	28
Jumbo truck (2 × 7.7 m)	28	28	28
US truck 48'	28	28	28
US truck 53'	30	30	30

Number of empty KeyKegs	10 L	20 L	30L
45 ft. High Cube Pallet	3640	2080	1248
40 ft. High Cube	3080	1760	1056
40 ft. Reefer	2800	1600	960
20 ft. Standard (one layer less high)	1200	600	360
20 ft. Reefer	1080	540	324
Truck (13.6 mtr)	3640	2080	1248
Truck with trailer (2 × 7 m)	3920	2240	1344
Jumbo truck (2 × 7.7 m)	3920	2240	1344
US truck 48'	3940	2240	1344
US truck 53'	4200	2400	1440

